

**B.O.Q. OF PROPOSED INTERIOR WORK FOR CURRENCY CHEST
AT BALDEV PLAZA , AJMER ROAD JAIPUR.**

ANNEXURE 3(B) : Furnishing & furniture work

S.No.	ITEM	QTY.	UNIT	RATE	AMOUNT
1	<p><u>FULL HEIGHT LAMINATED / GLAZED PARTITION</u> Providing & fixing partition made of 50x50mm kailwood frame @ 600mm c/c both ways with anti-termite paint, fixed rigidly at floor level as well as ceiling bottom, 6mm thick Comm. Ply of approved make with 1mm laminate of (Formica,Green, Merino, National)approved quality and shade shall be fixed on both faces of partition with necessary openings for the glass a per design with groove. Skirting of teak wood shall be 100 mm high and finished with matching colour polish. The grooves are to be filled with matching polish.The item includes door shutter of size1200x2100mm made of 75x25mm kail wood frame @ 300-4--mm c/c both ways painted with anti-termite paint with 6mm thick comm. ply on both faces finished with 1mm thick laminate of approved quality and shade with necessary openings for glass. There shall be TW edging with 40x20mm TW section on all edges of shutter (all around) with TW door frame (chowkhat) out of 75x50 mm section. The partition & door to be provided with 1200 mm high 6mm thick clear glass of approved make & shall be fixed at 900mm height from FF level fixed with 20x35 mm TW beading in place of commercial plywood & laminate. All exposed teak/ rubber wood surfaces shall be finished with approved colour polish. MANAGER ROOM, STORAGE, MACHINE ROOM The Item includes necessary hardware such as powder coated hinges, tower bolts, door stopper,2 lever (godrej) lock with 1 nos 6" long powder coated Al handle of approved quality and design . All exposed teak/ rubber wood surfaces shall be finished with approved colour polish . The rate includes making provision for electrical conduits ,switch and junction boxes.</p>	60	sqm.		
2	<p><u>CUPBOARD (low Height)</u> Providing & fixing 450 mm deep cupboards/ storage units with sides, Top, bottom, shutters,partitions & shelves made of 19mm thick commercial board (Century, Kitply,Green) of approved quality and make. The partitions shall be spaced at a maximum spacing of 810 mm C/C and shelves shall be spaced at 450mm C/C The width of each shutter shall not exceed 450mm. The back shall be made of 6mm comm. ply duly painted with anti- termite paint (on outer face). The front shutter and exposed sides shall be finished with TW laminate (in two shades) of approved quality & shade as per design with groove . The exposed edges of the board shall have teak wood liping. Skirting shall be 100mm high & made of 19mm thick commercial board finished with 1mm laminate.top of cupboard will finished with 1mm thk laminate The rate includes necessary powder coated hardware such as piano hinges, tower bolts, brass dead locks,magnet catchers, 4" long aluminium handle of approved design. All fixtures shall be powder coated.</p>				

All inner surfaces shall be painted with two or more coats of enamel paint over a coat of primer including sand papering, filling and preparation of surface. All exposed teak surfaces shall be finished with wood polish.

5 sqm

3 ALUMINIUM FRAME ENTRANCE DOOR

Providing & fixing of glazed partition using 63.5x38mm-1.14 mm. aluminium sections for the frame work with fixed panels of 1200 mm. maximum width on either sides of the door opening of 1520 mm. width(all sectional dimensions are minimum). There shall be 4 vertical & 3 horizontal at 0mm.,2100mm. Abovefloor level & the ceiling lintel level .The side panel shall have 1 horizontal section at a height 1220 mm. the door opening shall not have any horizontal at the floor level. The fixed panel on either side of the door opening and the top panel shall be covered 6 mm.thick plane glass by using necessary aluminium clipping channel and rubber beading . All accessories screw shall be concealed type.

the door opening shall be provided with 2 no. of aluminium framed door shutter . The shutter shall have 47.6 mm. x 44.4 mm. -1.3mm. Door section for vertical and top', 49.9 x 44.4 - 1.3 for middle 95.2 mm.x 44.4mm.-1.3 mm. for bottom. All the sectional dimension are min. .

The door shall be covered by 6mm. Thick plane glass by using necessary aluminium clipping channel and rubber beading. There shall be 12 mm. wide double line around etching with the bank logo on each glass shutter.All the accessories ,screw can be concealed type. Each door shutter shall have 100 mm. wide aluminium handle for the full width on both the sides. There shall be lever concealed lock. The size of the each door shutter shall be 2100x760mm All the aluminium sections shall be powder coated.

3 sqm

4 TABLES

A MANAGER TABLE (LAMINATED TOP)

Providing TABLES in position with Writing top,sides & front apron all be made of 19mm thick commercial board (Century, Duro, Green) with TW lipping on exposed ends of commercial board. The front apron & sides shall be finished with 1mm thick laminate of approved shade. The writing top shall be provided with 1mm thick laminate of approved shade (as per the sample) .The exposed edges of the top shall be rounded on both the edges with TW/rubber wood moulding as per design.The skirting shall be 100mm high with 1mm thick laminate.

There shall be a CPU shelf of size 600mm x 300mm made of 19mm commercial block board fixed at a height of 150mm inside the counter with around TW lipping.There shall be a wooden foot rest made of hollock wood.There shall be a key board tray made of 19mm commercial block board with TW lipping and Ebco make sliding fittings. There shall be a 3 drawer unit with around boxing made of 19mm commercial block board with vertical supports of the counter as one side. all made of 19mm commercial block board. The drawer bottom and rear side of the unit shall be covered with 6mm commercial plywood. The front face of the drawer shall be covered by 1mm laminate of approved shade and make.The draws shall be fixed with readymade metallic sliding channel. Each drawer shall have multipurpose lock (Godrej) and powder coated Al handle. All the non laminated surfaces shall be finished with

wood polish & teak wood polish

a) 1800mm x 900mm x 750 mm high, with drawer unit consists of three drawer, mounted on sliding channel (ebco make)

1 nos

5 OFFICER TABLE (Laminated Top)

Providing TABLES in position with Writing top, sides & front apron all be made of 19mm thick commercial board (Century, Duro, Green) with TW lipping on all exposed ends of commercial board. The front apron & sides shall be finished with 1mm thick laminate of approved shade. The writing top shall be provided with 1mm thick laminate of approved quality and shade with teak / rubber wood edging all around. The skirting shall be 100mm high with with 1mm thick laminate.

There shall be a CPU shelf of size 600mm x 300mm made of 19mm commercial block board fixed at a height of 150mm inside the counter with alround TW lipping.

There shall be wooden foot rest made of hollock wood

There shall be key board tray made of 19mm commercial block board with teakwood lipping and ebco make sliding fittings.

All the non laminated surfaces shall be finished with wood polish.

a) 1475mm x 600mm x 750mm high with drawer unit consists of 3 drawers, mounted on sliding channels (Ebco) All made of 19 mm commercial block board and 1 mm. lamination finish.

2 nos

b) 1200mm x 600mm x 750mm high with drawer unit consists of 3 drawers, mounted on sliding channels (Ebco) All made of 19 mm commercial block board and 1 mm. lamination finish.

1 nos

6 SIDE STORAGE UNITS

Providing & fixing storage units with sides, Top, bottom shutters and shelves all made of 19mm commercial board (Century, Duro, Green) of approved quality & make. The shelves shall be spaced at 450mm c/c. There shall be swing shutters. The rear side shall be made of 6mm thick commercial ply duly painted with anti-termite paint (on outer face) The top, sides, shutter and back finished with with mm thick laminate (in two shades) of approved quality and shade as per design with groove. All exposed edges shall have TW lipping. There shall be Skirting 100 mm high made The rate includes necessary hardware such as piano hinges tower bolts, brass dead lock, magnetic catchers, 4" long Al handles of approved design. All the fixtures shall be powder coated. All inner surfaces shall be painted with two or more coats of enamel paint over a coat of primer including sand papering, filling and preparation of surface. All exposed TW surfaces shall be finished with wood polish.

a) The size of the storage unit shall be 900mm x 750mm x 450mm (deep) with 1.0mm thick laminate on top.

3 nos

7 SOFA

P/F 18" deep sofa in Manager cabin & waiting area. The frame to be made of good quality pine wood. 32 density foam to be given, both in seat & back. Seat foam of

4" thickness & back foam of 3" thickness.
Entire sofa to be covered with approved
fabric (@300 Rs./mt.)

4 seats

8 CENTRE /SIDE TABLE

Providing in position table made of 50x50mm
teak wood frame with 40x25mm cross tie members
on all four sides at top and bottom finished with
melamine of approved colour and shade at top with
12mm thick beveled edge tinted glass top.

a) 1067mm x 600mm x 400 mm

2 each

9 BUNK BED

Providing of godrej bunk bed in full size for security officers

3 no.

10 Vertical blinds (VISTA / MAC BRAND)

P & F classic range of vertical blinds of
89 mm scotch guard coated louvers with
25 mm x 50 mm extruded aluminum head
rail of 1.2 mm thickness to house high grade
polymer control unit of derlin plastic with
1:3:5 gear ratio, 3 key ways Al tilt rod
molded plastic runners with 2 wheels, spacers
made up of molded plastic. The bottom is
1.7 mm thick powder coated galvanized
steel 2 mm dia. Plastic beads bottom chain
and cord weight of material hollow casing
with steel weight attached inside.

Color & shade of louvers to be as per the
architect's instructions & fixing to be done
as per the manufacturers instructions.

8 sqm

11 Providing & fixing aluminum alloy concealed
type **door closer** (ISI approved make, everite door
king)

7 nos

TOTAL

SAY AMOUNT