

Interior & Furnishing Works for Canara Bank at SIDCUL IT Park, Dehradun					
S. No.	Description	Unit	Qty.	Rate	Amount
I.	<u>PARTITIONS AND PANELLING:-</u>				
1.(i)	Full Height Partition: Providing and fixing in position Full Height partition in framework of 600 X 600 mm grid (horizontally and vertically) comprising of 50 mm X 50 mm heavy duty Aluminium Box Sections (1.6 mm) with 12 mm thick MDF on both sides finished with 1 mm thick laminate Ultra Gloss Matte Frosty White/ Yellow/ Blue shade in approved make including grooves as/ Architect. Item to include 65 X 65 mm teakwood member for door frame and additional framework and teakwood beading/ SS brackets required for providing glazing. All exposed teakwood surfaces and the like to be finished in melamine polish of matching laminate colour including all necessary fittings and SS hardware of make hettich/ hafele/ dorma. The rate to include provision of extra frame work as necessary for skirting and making cut-outs for electrical switches, switch boxes, conduiting, door/ glazing as per drawings.	Sqm	430.00		
	Note:- a) In case of false ceiling, the vertical Aluminium members to be fixed to RCC ceiling but the area of partition payable will be below the false ceiling only. b) Measurement of height shall be taken from finished floor only, in case of varying heights on either side of partition, higher height shall be considered. c) Openings/ door/ glass shall not be measured for payment. They shall be paid for separately.				
(ii)	Same as above but one side of partition to be finished with laquered glass with adhesive of approved brand and manufacture all complete as per the directions of Architect/ Engineer-in-charge.	Sqm	45.00		
(iii)	Same as above but one side of partition to be finished with Digitally Printed 10 mm thick extra clear glass . The design theme shall be approved by Architect/ Bank's Engineer. (Note:- Nothing Extra shall be payable as designing charges) .	Sqm	20.00		
(iv)	Same as above but one side of partition to be finished with 4 mm thk. Veneer (finished with melamine polish as/approval) of make Green Decowood/ approved equivalent and other side with Italian marble (Travertino Beige as/ approval) fixed with araldite all complete as per the directions of Architect/ Engineer-in-charge.	Sqm	13.00		
(v)	Same as above but one side of partition to be finished with 4 mm thick Veneer (finished with melamine polish as/ approval) of make Green Decowood/ approved equivalent all complete as per the directions of Architect/ Engineer-in-charge.	Sqm	12.00		

(vi)	Same as above but dense layer of glass wool to be sandwiched between MDF Board for sound insulation all complete as per the directions of Architect/ Engineer-in-charge.	Sqm	44.00		
2.	Low Height Partition: Providing and fixing in position solid Low Height partition upto height of 1300 mm in framework including door in 600 X 600 mm grid (horizontally and vertically) comprising of 50 mm X 50 mm heavy duty Aluminium Box Sections with 12 mm thick MDF on both sides finished and top with 1 mm thick Ultra Gloss Matte Frosty White/ Yellow/ Blue shade in approved make including grooves as/ Architect. Item to include 65 X 65 mm teakwood member for door frame. All exposed teakwood surfaces and the like to be finished in melamine polish of matching laminate colour or as directed including all necessary fittings and SS hardware of make Hettich/ Hafele/ Dorma. The rate to include provision of extra frame work as necessary for skirting and making cut-outs for electrical switches, switch boxes, conduiting as per drawings. The partition shall have intermediate soft board covered with fabric color & shade as/ approval as per the design/ drawing.	Sqm	221.00		
	Note:- a) Measurement of height shall be taken from finished floor only, in case of varying heights on either side of partition, average height shall be considered. b) Openings/ door/ glass shall not be measured for payment. They shall be paid for separately. c) Contractor to use proper masking tapes while polishing grooves etc. to prevent any damage to laminate.				
3.(i)	Wall Panelling: Providing and fixing in position wall panelling in 600 X 600 mm grid (horizontally and vertically) comprising of 25 mm X 50 mm heavy duty Aluminium Box Sections (1.6 mm) with 12 mm thick MDF finished with 1 mm thick laminate Ultra Gloss Matte Frosty White/ Yellow/ Blue shade in approved make including grooves as/ Architect. The rate to include for provision of extra frame work as necessary for skirting and making cut-outs for electrical switches, switch boxes, conduiting, receiving A.C.'s etc. as per drawings. All exposed teakwood surfaces and the like to be finished in melamine polish of matching laminate colour or as directed.	Sqm	550.00		
	[Note:- Incase of wall not being true to plumb extra shims of aluminium section shall be provided. Nothing extra shall be payable in this regard.]				
(ii)	Same as above but finished with wall paper as/ approval.	Sqm	10.00		
(iii)	Same as above but panelling to be finished with laquered glass with adhesive of approved brand and manufacture all complete as per the directions of Architect/ Engineer-in-charge.	Sqm	50.00		

(iv)	Same as above but panelling to be finished with Jaali made in 12 mm thick solid acrylic sheet back lit and having Inlay work including rounding, cost of CNC cutting and encasing with of make Corian Dupont/ Luxor Durlax/ LG all complete as per the the directions of the Architect/ Bank's Engineer. Note:- Finished area shall only be measured for payment.	Sqm	10.00		
(v)	Same as above but panellig to be finished with Digitally Printed 10 mm thick extra clear glass . The design theme shall be approved by Architect/ Bank's Engineer. (Note:- Nothing Extra shall be payable as designing charges) .	Sqm	21.00		
(vi)	Same as above but panellig to be finished 4 mm thick Veneer (finished with melamine polish as/ approval) of make Green Decowood/ approved equivalent all complete as per the directions of Architect/ Engineer-in-charge.	Sqm	17.00		
(vii)	Same as above but panelling to be finished with 3D Mdf Board pated with araldite and painted with high gloss PU Paint of approved shade & colour with minimum 2 coats all complete as per the directions of Architect/ Engineer-in-charge.	Sqm	10.00		
4.	Providing and fixing glazed door and fixed glazing (full/ low height glass partition) with 12 mm thick toughened glass of approved make with all SS patch fittings (Hettich/ Haffele/ Dorma) and frosting as per drawing. Item to include floor springs, lock, 1200 mm long handles and other necessary hardware of Stainless Steel of make Hettich/ Haffele/ Dorma/ Ozone/ Geze/ Ebco all complete as per the directions of Architect/ Engineer-in-charge (Designer lazer cut frosting if any shall be measured and paid for separately).				
a	Fixed Glazing	Sqm	146.00		
b	Openable door	Sqm	45.00		
c	Same as above but for Automatic Sensor door with remote control system. (Note: Only actual opening size shall be measure for payment. The works shall be carried out by brand authorised agency and shop drawings shall be submitted for approval prior to installation.)	Sqm	4.00		
II.	<u>STORAGE:-</u>				

5.(a)	Providing and fixing low height storage (Upto 900 mm high) and 450 mm deep as shown in details/ drawing with all sides, shelves to be 19 mm blockboard with 6 mm thick commercial plywood to be fixed at the back. The top shall be finished with 1 mm Ultra Gloss Matte Frosty White/ Yellow/ Blue shade laminate pasted over 19 mm thick blockboard all complete. The shutters to be 19 mm thick blockboard with 1 mm thick laminate Ultra Gloss Matte Frosty White/ Yellow/ Blue shade in approved make on all exposed outside surfaces and 0.8 mm thick laminate on all the inside surfaces. The sides/ bottom of the drawer shall be made out of 12 mm thick commercial plyboard. All edges/ shutters to be finished with 0.8 mm thick PVC Edge banding all complete including S.S. long handles, self closing hinges/ telescopic hinges of Hettich/ Hafele/ Ebco/ Ozone etc.	Sqm	58.00		
	All outside surfaces to be finished in laminate at the top of storage all complete to the satisfaction of Architect/ Engineer-in-charge. [Front elevation shall be measured for payment.]				
5.(b)	Same as above but finished with 4 mm thick teak Veneer (finished with melamine polish as/ approval) of make Green Decowood/ approved equivalent all complete as per directions of the Architect/ Bank's engineer.	Sqm	4.00		
5.(c)	Same as above but side storage of size 900 mm X 750 mm and having minimum two drawers as/ drawings.	Nos.	58.00		
5.(d)	Same as above but side storage of size 1050 mm X 750 mm and having minimum two drawers as/ drawings.	Nos.	2.00		
6.	Providing and fixing Full height storage (Upto 2400 mm high) and 450 mm deep as shown in details/ drawing with all sides, shelves to be 19 mm blockboard with 6 mm thick commercial plywood to be fixed at the back. The shutters to be 19 mm thick blockboard with 1 mm thick laminate Ultra Gloss Matte Frosty White/ Yellow/ Blue shade in approved make on all exposed outside surfaces and 0.8 mm thick laminate on all the inside surfaces. The sides/ bottom of the drawer shall be made out of 12 mm thick commercial plyboard. All edges/ shutters to be finished with 0.8 mm thick PVC Edge banding. all complete including S.S. long handles, self closing hinges/ telescopic hinges of Hettich/ Hafele/ Ebco etc.	Sqm	70.00		
	All outside surfaces to be finished in laminate all complete to the satisfaction of Architect/ Engineer-in-charge. [Front elevation shall be measured for payment.]				
7.(i)	Providing, fabricating and fixing in position as per layout plan overhead cabinets (400 mm deep). The specifications for the framework/ carcass and shutters of the cabinets are same as given for the cabinets above [Front visible surface area of the cabinets shall be measured for payment].	Sqm	4.00		

(ii)	Same as above but for under counter and 600 mm deep. Top of cabinet to be finished with 18 mm thick Pre-polished granite stone fixed with approved adhesive.	Sqm	4.00		
III.	<u>DOORS :-</u>				
8.(i)	Solid Flush door: Providing and fixing 30 mm thick flush door with 10 mm thick teakwood lipping on all sides finished in 1 mm thick laminate on both sides of approved shade Ultra Gloss Matte Frosty White/ Yellow/ Blue shade in approved make with all necessary hardware including SS door handle, SS stopper, lock, door closer, SS heavy duty butt hinges etc. of make Dorma/ Hettich/ Hafele all complete as per directions of Architect/ Bank.	Sqm	90.00		
(ii)	Same as above but finished with 4 mm thick Veneer (finished with melamine polish as/ approval) of make Green Decowood/ approved equivalent all complete as per direction of Architect/ Bank's engineer.	Sqm	2.00		
9.(i)	Solid Flush door with vision panel: Providing and fixing 30 mm thick flush door with 10 mm thick teakwood lipping on all sides finished in 1 mm thick laminate on both sides of approved shade Ultra Gloss Matte Frosty White/ Yellow/ Blue shade in approved make with all necessary hardware including SS door handle, SS stopper, lock, door closer, SS heavy duty butt hinges etc. of make Dorma/ Hettich/ Hafele/ Ozone all complete as per directions of Architect/ Bank. Item to be include 175 X 1500 mm vision panel (5.5 mm float glass) in door including fixing etc. all complete.	Sqm	33.00		
(ii)	Same as above but with SS long handles 1200 mm long on one side as per Architect of make Safex/ Dorma/ Hettich/ Hafele.	Sqm	2.00		
10.	Sliding Folding door: Providing and fixing 50 mm thick Sliding folding door system with 10 mm thick teakwood lipping on all sides finished 4 mm thick decorative teak veneer on both sides of make Green Decowood/ Century veneers/ Archidply including grooves as/ Architect. All exposed teakwood surfaces, grooves and the like to be finished in melamine polish of matching colour including SS door handle, SS stopper, lock, door closer, SS butt hinges etc. of make Dorma/ Hettich/ Hafele all complete as per directions of Architect/ Bank.	Sqm	42.00		

11.	Electrical Panel Cabinet with louvres door: Providing and fixing 19 mm thick blockboard shutter finished in 1 mm thick laminate on both sides of approved shade Ultra Gloss Matte Frosty White/ Yellow/ Blue shade in approved make with all necessary hardware including SS door handle, SS stopper, lock, door closer, self close hinges etc. of make Dorma/ Hettich/ Hafele all complete as per directions of Architect/ Bank. All edges/ shutters to be finished with 0.8 mm thick PVC Edge banding. The item to include SS Jaali in the shutters of the door and 1 mm thick 300 mm high steel brush finish laminate on shutters.	Sqm	54.00		
IV. FINISHING WORKS:-					
12.	Providing and applying Birla putty over plastered surface to prepare the surface even and smooth all complete as per the directions of Engineer-in-charge.	Sqm	250.00		
13.	Finishing walls with textured interior paint of required shade: New work (Two or more coats applied @ 3.28 ltr/10 sqm) over and including base coat of water proofing cement paint applied @ 2.20 kg/10 sqm with rollers/ spray of make ACRO/ approved make.	Sqm	20.00		
14.	Wall painting with plastic emulsion paint with ' Velvet Touch ' of approved brand and manufacture to give an even shade: Two or more coats on new work with rollers/ spray of make Asian/ Berger/ Dulux paint.	Sqm	1350.00		
V. COUNTERS AND TABLES:-					
15.(a)	Providing and fixing in position Officer's table 1500 X 750 mm wide with 1 mm thick laminate Ultra Gloss Matte Frosty White/ Yellow/ Blue shade in approved make comprising of the following complete in all respects (REFER DRAWING):	Nos.	38.00		
(i)	Work top to be made with 19 mm thick blockboard and finished with 1 mm thick laminate. 8 mm thick clear toughened glass with bevelled edges to be provided on top. Outside facia of the blockboard shall be finished with 1 mm thick laminate and edges shall be finished with PVC edge banding of matching shade, all complete as per Architect. Inside facia of the blockboard shall be finished with 0.8 mm thick laminate.				
(ii)	Vertical facia (apron) to be made with 19 mm thick blockboard and finished with 1 mm thick laminate on all exposed facia with grooves as per Architect.				
(iii)	Vertical drop box (horizontal box) shall be provided on the facia with 19 mm thick blockboard finished with 1 mm thick laminate on all sides all complete as per Architect.				
(iv)	Vertical supports made with 19 mm thick blockboard finished with 1 mm thick laminate on all exposed facia as per Architect.				

(v)	Telescopic CPU stand/ CPU trolley with lockable wheels and readymade MS/ wooden keyboard tray shall be provided of approved model and make.				
(vi)	The item to include all necessary hardware and fittings in SS finish, providing SS finish wire manager etc.				
(vii)	The item to include drawer unit (comprising of 3 Nos. of drawers upto 400 mm wide) in table.				
(b)	same as above but size is 1200 X 750 mm	Nos.	2.00		
(c)	same as above but size is 1650 X 900 mm	Nos.	10.00		
(d)	same as above but size is 1500 X 675 mm	Nos.	6.00		
(e)	same as above but size is 1200 X 600 mm	Nos.	3.00		
(f)	same as above but size is 2100 X 900 mm	Nos.	2.00		
16.	Providing and fixing in position AGM office table 2400 X 1050 mm with 1 mm thick laminate Ultra Gloss Matte Frosty White/ Yellow/ Blue shade in approved make comprising of the following complete in all respects:	Nos.	2.00		
(i)	Work top to be made with 12 mm solid acrylic surface pasted over 19 mm thick blockboard including polishing, edge moulding etc. all complete (to be measured and paid separately) . Inside facia of the blockboard shall be finished with 0.8 mm thick laminate.				
(ii)	Vertical facia (apron) to be made with 19 mm thick blockboard and finished with 1 mm thick laminate on all exposed facia with grooves as per Architect.				
(iii)	Vertical drop box (horizontal box) shall be provided on the facia with 19 mm thick blockboard finished with 1 mm thick laminate on all sides all complete as per Architect.				
(iv)	Vertical supports made with 19 mm thick blockboard finished with 1 mm thick laminate as per Architect.				
(v)	Telescopic CPU stand/ CPU trolley with lockable wheels and readymade MS/ wooden keyboard tray shall be provided of approved model and make.				
(vi)	The item to include all necessary hardware and fittings in SS finish, providing SS finish wire manager etc.				
(vii)	The item to include drawer unit (comprising of 3 Nos. of drawers upto 400 mm wide) in table.				
(b)	same as above but size is 2100 X 900 mm	Nos.	5.00		
17.	Providing and fixing in position Computer Room table 900 X 600 mm wide with 1 mm thick laminate Ultra Gloss Matte Frosty White/ Yellow/ Blue shade in approved make and suitable for housing monitor, comprising of the following complete in all respects as per drawings and directions of Architect/ Bank's Engineer:	Nos.	52.00		

(i)	Work top to be made with 19 mm thick blockboard and finished with 1 mm thick laminate. Inside facia of the blockboard shall be finished with 0.8 mm thick laminate.				
(ii)	Vertical supports made with 19 mm thick blockboard finished with 1 mm thick laminate as per directions of Architect/ Bank's Engineer.				
(iii)	Telescopic CPU stand/ CPU trolley with lockable wheels and readymade MS/ wooden keyboard tray shall be provided of approved model and make.				
(iv)	The item to include all necessary hardware and fittings in SS finish, providing SS finish wire manager etc.				
(v)	Item to include one pencil drawer (125 mm high) in table				
18.	Providing & fixing Running Counter/ Table for staff and in server room with 19 mm thk. BWR ply top with 1.0 mm thick decorative texture laminate finish. Table supported on drawer unit and other side with gable end finished with laminate from outside and 0.8 mm thick white laminate from inside. Counter to have one drawer unit per occupant (Approx 1200 mm running length per occupant) with specifications for drawer units etc. The drawers to run on telescopic drawer channels. Drawer units shall have two smaller and one bigger drawer and auto locking arrangement. Footrest 75 X 50 mm made of 2nd class teakwood member to be fixed in each table. The rate shall include providing all hardware such as drawer channels, S.S. handles, cable manager (Hettich/ Dorma/ Haffele) etc. complete. The item also includes a tray for keyboard running on telescopic channel, finished with decorative texture laminate on top and rounded front of size 560 X 450 mm, readymade CPU trolley with castors etc. complete to the satisfaction of Architect/ Bank's Engineer. The width of running counter/ table to be 600 mm.	Mtr	14.0		
19.	Providing and placing Writing Ledge of size 1800 X 300 mm in green banking zone made of 19 mm thick blockboard and finished with 1 mm thick laminate Ultra Gloss Matte Frosty White/ Yellow/ Blue shade in approved make on all exposed surfaces all complete as per drawings. The table shall have 8 mm thick toughened glass top and maximum height of table to be 350 mm. Writing table to be provided with 50 X 50 mm SS footrest fixed with 20 dia. SS bar and screwed to blockboard all complete as per Architect/ Engineer-in-charge.	Nos.	1.00		

20.	Providing and placing Side table of size 400 X 400 mm made of 19 mm thick blockboard and finished with 1 mm thick laminate on all exposed surfaces all complete as per drawings. The table shall have 10 mm thick toughened glass top with SS spacers lazer jointed and maximum height of table to be 400 mm. All complete to the satisfaction of Architect/ Bank's Engineer	Nos.	11.00		
21.(a)	Providing and placing Waiting table for customer lounge of size 900 X 600 mm made of 19 mm thick blockboard and finished with 1 mm thick laminate Ultra Gloss Matte Frosty White/ Yellow/ Blue shade on all exposed surfaces all complete as per drawings. The table shall have 10 mm thick toughened glass top with SS spacers lazer jointed and maximum height of table to be 350 mm.	Nos.	8.00		
(b)	same as above but size is 900 mm diameter	Nos.	1.00		
22.(a)	Providing and placing Meeting table of size 2250 X 750 mm and 750 mm high made of 19 mm thick blockboard and finished with 1 mm thick laminate Ultra Gloss Matte Frosty White/ Yellow/ Blue shade on all exposed surfaces all complete as per drawings. Inside facia of the blockboard shall be finished with 0.8 mm thick laminate.	Nos.	1.00		
(b)	Same as above but size is 1950 X 700 mm	Nos.	1.00		
(c)	same as above but size is 4500 X 900 mm	Nos.	1.00		
(d)	same as above but size is 2700 X 750 mm	Nos.	2.00		
23.(a)	Providing and placing Dining/ Lunch table of size 1800 X 800 mm and 750 mm high made of 18 mm thk. pre polished granite stone (as/ approval) pasted with araldite over 19 mm thick blockboard, edge of granite would be 36 mm made by pasting two stone at edge. Base of table would be Stainless steel section as/ design/approval all complete as per drawings. Tables shall be stable & firm, inside facia of the blockboard shall be finished with 0.8 mm thick laminate.	Nos.	6.00		
(b)	Same as above but size is 800 mm diameter	Nos.	8.00		
24.(a)	Providing and placing Conference table (V-shaped as shown in drawing) of size 23500 X 900 mm (2100 mm at junction) and 750 mm high made of 19 mm thick blockboard and finished with 4 mm thick Veneer (finished with melamine polish as/ approval) of make Green Decowood/ approved equivalent on all exposed surfaces and 300 mm band of 12 mm solid acrylic surface pasted over 19 mm thick blockboard including polishing, edge moulding etc. at edge of the table (to be measured and paid separately) all complete as per drawings. Inside facia of the blockboard shall be finished with 0.8 mm thick laminate. comprising of the following complete in all respects:	Nos.	1.00		

i)	Understructure of tables shall have good wire management capabilities with separate routing for power and data/voice cables.				
ii)	Cables from floor to the table top should be concealed within the table leg.				
iii)	All electrical and data/ voice points to be accessed from table top through a cavity cutout into the top.				
iv)	Table shall have wire Management system accessible from the table top on the horizontal surface through cable cubbie. Cable dumps to be provided depth of cable dump is 250 mm, sockets, switches.				
	data and voice points are to be provided at the bottom of the dump. Flip top to be provided to the flush of work surface.				
b)	Same as above but circular table as shown in drawing of size of outer radius 1415 mm & inner radius is 665 diameter & 750 mm width.	Nos.	1.00		
25.	Providing and fixing in position Reception table 2400 X 750 mm wide (as per design) with 1 mm thick laminate Ultra Gloss Matte Frosty White/ Yellow/ Blue shade. Table shall have wire Management system accessible from the table top on the horizontal surface through cable cubbie. Cable dumps to be provided depth of cable dump is 250 mm, sockets, switches, data and voice points are to be provided at the bottom of the dump. Flip top to be provided to the flush of work surface. in approved make comprising of the following complete in all respects (REFER DRAWING):	Nos.	1.00		
i)	Work top to be made with 19 mm thick blockboard and finished with 1 mm thick laminate. 8 mm thick clear toughened glass with bevelled edges to be provided on top. Inside facia of the blockboard shall be finished with 1 mm thick laminate and edges shall be finished with 0.8 mm thick PVC edge banding all complete as per Architect.				
ii)	Vertical facia (apron) to be made with 19 mm thick blockboard and finished with 1 mm thick laminate on all exposed facia with grooves as per Architect. The grooves to be finished with melamine polish all complete. [Note:- Contractor to use masking tapes etc. to prevent any polishing from affecting the laminate.]				
iii)	Vertical drop box (horizontal box) shall be provided on the facia with 19 mm thick blockboard finished with 1 mm thick laminate on all sides all complete as per Architect.				
iv)	Vertical supports made with 19 mm thick blockboard finished with 1 mm thick laminate on all exposed facia as per Architect.				
v)	Telescopic CPU stand and readymade keyboard tray shall be provided of approved model and make.				

vi)	Boxing as per drawing made with 12 mm thick plywood finished with synthetic enamel paint shall be provided below the table top for electrical conduiting and at the bottom for the LAN cabling/ telephone wire conduiting.				
vii)	The item to include all necessary hardware and fittings in SS finish, 0.8 mm thick PVC edge banding to all edges, providing SS wire manager etc. Necessary SS D-brackets required for fixing the glass are to be provided. [Note:- Contractor to use masking tapes etc. to prevent any polishing from affecting the laminate.]				
b)	Same as above but size is 1650 X 750 mm	Nos.	3.00		
c)	Same as above but size is 1200 X 600 mm	Nos.	1.00		
VII. MISCELLANEOUS:-					
26.	Providing and fixing in position wooden slats of section '75 mm X 250 mm' made with 19 mm thick plywood on top finished with 1 mm thick laminate Ultra Gloss Matte Frosty White/ Yellow/ Blue shade in approved make including grooves as/ Architect. The wood frame work to be applied with 2 coats of fire retardent paint and 1 coat of anti-termite wood preservative all complete as per direction of Engineer-in-charge/ Architect and drawings.	Mtr	58.00		
27.	Providing and fixing in position customize MDF jaali 18 mm thick with design and cut as approved and finishing the same with Duco paint of approved brand and manufacture all complete as per the directions of Architect/ Engineer-in-charge.	Sqm	5.00		
28.	Supply, Fabrication and Installation of Corian Dupont/ Luxor Durlax/ LG of ' Salt (Translucent series), Azure & Diamond Blue ' 12 mm thick applied on table top, sides, wall, logo and the like. The edges to be joined should be straight, smooth and clean. Joints should only be made with joint adhesive for Dupont Corian. All corners of a cutout must be rounded to 5 mm radius and the edges smoothed, both on top & bottom, all around a cut-out. "L" & "U" shaped corners need smooth 5 mm radius inside corner all complete as per the the directions of the Architect/ Bank's Engineer. Note:- Finished area shall only be measured for payment.	Sqm	15.00		
29.	Supplying & installation of roller blinds for windows of polyester based fabrics of Vista/ approved make all complete and inclusive of taxes etc. as per the directions of the Architect.	Sqm	291.00		

30.	Providing and fixing in position Teak wood Beading all complete as per profile given in the detail drawing or as explained out of wooden sections of sizes given below. All should be finished with high gloss PU Paint of approved shade & colour with minimum 2 coats. This item will operate only for those mouldings which are to be fixed independent of any other item as mentioned in the Bill of Quantities and not measured under any other item etc. All complete as per detail drawing, as specified and as directed by Architect/ Engineer-in-Charge: 20 X 20 mm.	Metre	30.00		
31.	Providing and fixing in position T.W. Architrave all complete as per profile given in the detail drawing or as explained out of wooden sections of sizes given below. All should be finished with melamine polish of approved shade & colour with minimum 2 coats. This item will operate only for those mouldings which are to be fixed independent of any other item as mentioned in the Bill of Quantities and not measured under any other item etc. All complete as per detail drawing, as specified and as directed by Architect/ Engineer-in-Charge.				
	50 X 15 mm	Metre	50.00		
	75 X 20 mm	Metre	85.00		
32.	Providing and fixing SS profile (1.5" high) for glass fixing of make Ozone/ Haffele/ Dorma/ Geze/ Enox to be used to fix glass.	Metre	235.00		
33.	Supply & fixing of Aluminium Composite Panel (ACP) with OPEN GROOVE FOLDING SYSTEM , 4 mm thick in required colours for exteriors consisting of two layers of aluminium skins of 0.5 mm thick sandwiching a thermo plastic core in continuous lamination process with PVDF coating for exterior grades ensuring long colour and no fungal attacks of make Alukobond/ Eurobond/ Aludecor. Base frame work with aluminium sections shall be fixed over finished plaster and the above aluminium panels shall be fixed to the frame work as cladding including cost of labour, materials, accessories, adhesives, scaffolding, wastages, transportation, taxes, fixing in to a neat finish without any undulations in facias all complete as per drawing and directions of Architect/ Bank's Engineer.	Sqm	5.00		
34.	Dismantling and removal of damaged/ unrequired flooring, panelling, partitions, furniture, sanitary fixtures, brickwork, water proofing, false ceiling, ducting, electrical fixtures, wires, cables and the like in tile/ marble/ wood/ granite etc. as required and disposal of the mulba outside municipal limits all complete as per the directions of the Engineer-in-charge. [Note:- The item shall be for the entire area of the branch/ adjoining external areas in the premises where work is being done.]	Job	1.00		
Total					